

BML/LH****46"/55"****Bezel To Bezel 1.7mm Video Wall**


Key Feature

- ADSDS Technology
- Bezel To Bezel 1.7mm
- 500nits/700nit
- FHD Resolution
- DP Loop
- RS232 Control
- VESA Mount

Specification

Display			
Model	BM46L	BM55L	BM55LH
Screen Size (Diagonal)	46 inch	55 inch	
LCD Tech.	ADS		
Native Resolution	1920 x 1080		3840 x 2160
Aspect Ratio	16 : 9		
Brightness	500 cd/m²		700 cd/m²
Contrast	1400 : 1		
View Angle	178°(H) / 178°(V)		
Display Color	16.7M		
Color Gamut	72%		
Response Time	8ms		
Life Time (Light Source)	60,000 hrs		

Interface			
HDMI IN	x 2 (HDMI 2.0)		
DP IN	x 2 (DP 1.2)		
DP OUT	x 1		
RS232	2 (RJ45, In x 1/Out x 1)		
IR	1 (Common use with RS232 in)		
USB	x 1		
Line Out	x 1		



Power			
Power Supply	AC 100~240V 50/60Hz		
Power Consumption	≤ 200W	≤ 220W	
Power Consumption(Standby)	0.5W	0.5W	


Environment			
Operation temperature	0°C~40°C		
Operation humidity	10%~80% RH		

Physical			
Bezel To Bezel		1.7 mm	
Body Dimension	1019.8 × 574.4 × 123mm	1212.7 x 683.5 x 115mm	1211.3 x 682.1 x 115.3mm
Set Weight	20 kg	28kg	
Package Dimension (2 sets inside)	1160 x 730 x 380mm	1360 x 840 x 380mm	
Package Weight (2 sets inside)	53kg	69kg	
Handle	2		
VESA Mounting	400 × 400		


Specification

Dimension Drawing

BM46L




BM55L



Specification

BM55LH



Accessories List

No.	Parts	Qty	Specification
1	Power cord	1	1.5m
2	Remote controller	1:2	1 Per Carton Box
3	IR Receiver	1:2	1 Per Carton Box
4	User manual	1:2	1 Per Carton Box
5	Adapter	1	RS232 to RJ45