

SG**A

32"/43"/49"/55"/65"

500nits Gallery Signage- Android



Regular Display

Gallery Display

Eye Protection Display

Key Feature

- UHD Resolution
- 500 nits High Brightness
- 50,000 hrs 7 × 24 Operation
- Android 12
- ARM Octa-Core Cortex-A55 SoC
- HDMI Input
- Open frame design
- Anti glare display with None-flicker optical design

Specification

Model		SG**A			
Display					
Screen Size (Diagonal)	32 inch	43 inch	49inch	55inch	65inch
Native Resolution	1920(H) × 1080 (V)	3840(H) × 2160 (V)			
Aspect Ratio	16 : 9				
Brightness	500 nit (Typ.)				
Contrast	≥ 1200:1				
View Angle	178°(H) / 178°(V)				
Display Color	16.7M				
Response Time	8ms				
Operation Time (Hour/Day)	24/7				
Life Time (Light Source)	50,000 hrs (Typ.)				
Surface treatment	Haze 25%				

Interface

HDMI IN 2.0	× 1
USB 3.0	× 1
USB 2.0	× 1
Earphone	× 1
RJ45	× 1

Configuration

CPU	Octa Core A55, 1.2GHz, up to 1.5GHz
GPU	Multi-Core Mali-G52
RAM/Storage	4G/32G
OS	Android 12
LAN	10/100M
WIFI	802.11b/g/n
Bluetooth	Yes
Built-In Speaker	8W × 2 (8Ω)

Power

POWER SUPPLY	AC 100V ~ 240V@50/60HZ				
POWER CONSUMPTION	110W	140W	155W	170W	180W
POWER CONSUMPTION (Standby)	0.5W	0.5W	0.5W	0.5W	0.5W

Environment

Operation Temperature	0°C~50°C
Operation Humidity	10%-85%
Storage Temperature	-20°C~60°C
Storage Humidity	5%-95%


Specification

Model	32 inch	43 inch	49inch	55inch	65inch
Physical					
Color/Material	Wooden color/Wood				
Set Outline Dimension (W×H×D)	TBD	999.5×627.3×53.7mm	1132×703×53.7mm	1308×779×75.9mm	TBD
Package Dimension (W×H×D)	TBD	TBD	TBD	TBD	TBD
Set Weight	TBD	12kg	15kg	18kg	TBD
Packed Weight (1 Sets inside)	TBD	17kg	21kg	26kg	TBD
VESA Mounting Interface	400*400				




Drawing

SG43A



SG49A



SG55A

