

BM**L

46"/55"

1.7mm Bezel FHD 500nits Video Wall




Key Feature

- ADSDS Technology
- 1.7mm Slim bezel
- 500nits
- FHD Resolution
- DP Loop
- RS232 Control
- VESA Mount

Specification

Display		
Model	BM46L	BM55L
Screen Size (Diagonal)	46 inch	55 inch
LCD Tech.	ADS	
Native Resolution	1920 x 1080	
Aspect Ratio	16 : 9	
Brightness	500 cd/m ²	
Contrast	1200 : 1	
View Angle	178°(H) / 178°(V)	
Display Color	16.7M	
Color Gamut	72%	
Response Time	8ms	
Life Time (Light Source)	50,000 hrs	

Interface	
HDMI IN	x 2 (HDMI 2.0)
DP IN	x 2 (DP 1.2)
DP OUT	x 1
RS232	2 (RJ45, In x 1/Out x 1)
IR	1 (Common use with RS232 in)
USB	x 1
Line Out	x 1



Power		
Power Supply	AC 100~240V 50/60Hz	
Power Consumption	≤ 200W	≤ 220W
Power Consumption(Standby)	0.5W	0.5W





Environment	
Operation temperature	0°C~40°C
Operation humidity	10%~80% RH

Physical		
Bezel	1.7 mm	
Body Dimension	1021.2 × 575.8 × 116.4mm	1212.7 x 683.5 x 114.4mm
Set Weight	20 kg	28kg
Package Dimension (2 sets inside)	1160 x 730 x 380mm	1360 x 840 x 380mm
Package Weight (2 sets inside)	53kg	69kg
Handle	2	2
VESA Mounting	400 × 400	400 × 400





Specification

Dimension Drawing

BM46L



BM55L



40x40挂钩

Specification

Accessories Lists

No.	Parts	Qty	Specification
1	Power cord	1	1.5m
2	Remote controller	1:2	1 Per Carton Box
3	IR Receiver	1:2	1 Per Carton Box
4	User manual	1:2	1 Per Carton Box
5	Adapter	1	RS232 to RJ45